

Klemko Techniek B.V.
Phone: +31 (0)880023300
E-mail: info@klemko.nl

klemko®

867502 - VLOERSPOT WW-OD

Titus vloerspot

/productimages/867502.jpg

Package type: BME á 1 pce



PRODUCT SPECIFICATIONS:

Lamp type	LED not exchangeable
With light source	Yes
Type of control gear	LED operating device voltage-controlled
With control gear	No
Voltage type	DC
Nominal voltage (V)	12 - 12
Electrical connection with connector system	No
Material wire	Polyurethane (PUR)
Housing colour	Stainless steel
Cable length (cm)	500
Material cover	Glass opal
Adjustable	No
Light sharing	Symmetric
Length (mm)	45
Width (mm)	45
Outer diameter (mm)	45
Built-in length (mm)	40
Built-in width (mm)	40
Built-in diameter (mm)	40
Max. load (kg)	2000
Over rollable	Yes
Max. surface temperature (°C)	45
Protection class	III
Degree of protection (IP)	IP68
Colour of light	White
Colour temperature (K)	2700 - 2700
Colour rendering index CRI	80-89
Dimming manufacturer's proprietary system	No
Light distributor	Diffuser lens/optic/panel
Beam angle	Extreme wide beam >80°
Suitable for lamp power (W)	0.25 - 0.25
Built-in height/depth (mm)	10
Number of poles	2
Connection type	Other
Housing material	Stainless steel
Housing material quality	Stainless steel 316 L (1.4404)
Exchangeable control gear	Yes
Colour of light adjustable	No
Luminous flux adjustable	Continuously variable
Beam angle adjustable	No
Energy efficiency class of the light source according to EU regulation 2019/2015	Not required
Luminaire efficacy (lm/W)	56

867502 - VLOERSPOT WW-OD



No	
Dimmable	Yes
No	
(lm)	0 - 14